



VIRTUAL/REMOTE DIMENSION THREE TOUCH

SOFTWARE TELEVISION SURROUND CONTROL SURFACE



VIRTUAL/REMOTE DIMENSION THREE TOUCH

Full control over your physical Dimension Three or a complete standalone virtual control surface

Virtual Dimension

Three Touch is

a multi-touch virtual TV audio console with 64 faders onscreen that seamlessly interfaces into

major production automation systems,

including those by Ross

Video, Grass Valley and Sony.

“Automation and virtualization are

fundamental to being able to produce

more content. With Virtual Dimension Three,

we’re complementing what is being automated

in the control room with the easy accessibility

of a virtual interface so that operators can make

immediate, precise adjustments as needed,” says

Wheatstone Senior Sales Engineer Phil Owens.

As a standalone user interface into the

WheatNet-IP audio network, Virtual Dimension

Three can be used anywhere there’s a PC

touchscreen or several touchscreens connected

over the audio network. Similar in feel and

function to the popular Dimension Three

hardware surface, Virtual Dimension Three

includes familiar buttons, knobs and multi-touch


navigation and menuing for adjusting EQ curves,

filtering and other custom settings.



Virtual Dimension Three comes with a rackmount mix engine to handle mixing and processing as part of the WheatNet-IP audio network, which provides direct connectivity into major production automation systems. Ross Video, Grass Valley and Sony have a longtime vendor partnership with Wheatstone’s WheatNet-IP audio network, making for a fully integrated user experience between automation and console functions.

Also available is **Remote Dimension Three Touch** software which is the software component mentioned above, but works with your existing physical Dimension Three Touch surface to provide complete remote access to it.



Virtual/Remote Dimension Three Touch is available in two configurations:

Virtual Dimension Three Touch Package

This is a standalone virtual surface that includes Remote Dimension Three Touch software and special hardware - both a “surface in a 1RU box” and a GNE frame. This hardware replaces the physical Dimension Three Touch control surface hardware. So with this package you can do everything that a regular Dimension Three Touch can do, but without a physical surface.

Remote Dimension Three Touch Software

This is the software referenced to the left. It requires connection to an existing physical Dimension Three Touch surface. Remote Dimension Three Touch software displays two screens – the main screen is the fader bank and masters section; the second screen is a software replication of the Dimension Three Touch’s touch screen interface. Provides full remote control over your existing Dimension Three Touch control surface.

**For more information on the functionality of Dimension Three Touch,
please see the Wheatstone Dimension Three Brochure or go to wheatstone.com/dimension-three**

Designed and built by
Wheatstone Corporation
600 Industrial Drive | New Bern NC 28562-5440 USA
phone 1.252.638-7000 | fax 1.252.635-4857
wheatstone.com | sales@wheatstone.com

